[FIELD] NOTES, MAGAZINE "PATHFINDER" #4
JUNE 15, 1949, PHOTOS, PROOFS, NEGS, CHARTS ~~27~~ 28

CIRCA 1945 - 1955

BOX 27 Folder 27

Content # 28

Miscellaneous 1

Photographs & negatives; handwritten charts of items recovered in Tamaulipas, as follows:

(1) Negative, diagram of weaving pattern
(2) Negative, chart of sites in Canada, Br. Columbia to the Maritimes
(3) Print & negative, floor plan
(4) Print & negative of excavation (fr. Geological Survey envelope)
(5) Negatives of profiles, 2 floor plans, 2 profiles & table of sequence with Thule, Firth River, New Mountain, Engigtschiak named (fr. Museum envelope, marked Vandyke, D.W.)
(6) Photos of figurines (2 singles, one plate), fr. National Museum of Canada. Appear in Archaeology of Tamaulipas, Mexico, MacNeish, 1958. (Amer. Philosoph. Soc.)
(7) Handwritten chart by MacNeish of artifacts recovered by unit. From Armadillo Cave, Tmc 314 - see Archaeol. of Tamps.
(8) Two tables: "Other Wild Plants - Table 16; "No. of Feces" - Table 15
(9) Handwritten list by MacNeish of plant (agave, opuntia...) remains from Armadillo Cave, Tmc 314 (see (7) above)
(10) Table 51: "Relationship of Cultures of Sierra de Tamaulipas with Those of the Central Tamaulipas Coast" - handwritten by MacNeish
(11) Handwritten chart by MacNeish of artifacts recovered, var. sites in Tamaulipas
(12) Table 48 - handwritten chart by MacNeish of artifacts (ceramics?) in Tamaulipas sites
(13) Handwritten chart by MacNeish of cultural relationships
(14) Handwritten chart by MacNeish of caltural phases
(15) Handwritten chart by MacNeish of lithic types
(16) Overlong handwritten chart by MacNeish of units & levels
(17) Handwritten chart by MacNeish of pottery types
(18) Overlong handwritten chart by MacNeish of lithic types
(19) " " " " " of projectile point types
(20) Table 2, Frequency of projectile point types in Tmc 81 (Diablo Cave, Tamaulipas - see Archaeology of Tamaulipas)
(21) Table 3, " " scraper types " " (Diablo Cave)
(22) Table 4, " " blades & other chipped artifacts in Tmc 81 (Diablo Cave)
(23) Handwritten chart by MacNeish of blades, etc.
(24) Table 5, Frequency of ground & pecked stone artifacts in Tmc 81 (Diablo)
(25) Table 6, " " faunal remains in Tmc 81 (Diablo Cave)
(26) Table 14, " " wild plants in Tmc 174

JGT

ARCHIVAL QUALITY
Permalife®

Square O – Level 1

1 Absaroka
1 Tortugas
1 Long corner stem
3 Pueblito Plain
1 Hunting B/w
3 Los Angeles Stemmed
4 Los Angeles Barbed

Layer 1

Square E 25 S5, Level 2 —

3 Buena de Pueblito corner cup
1 Armadillo stem
1 Martis stem
1 Unfinished Blade Fragment

Layer 1

Square O Level 9

1 Mazzanella stem
11 Desert Side

Layer 4

Square E 10 — L 4

2 Buena de Pueblito
2 Los Angeles Bifurcate
19 Cobble
1 Agate Core
10 Debris

Layer 1

Square E 20 — Level 5

1 Pot Drag
1 Gypsum stem
1 ~~Lan~~ Pueblito Barb ?

Layer 2

W 5 — Level 4"

1 Los Angeles Corner
1 Humboldt Basal Barb
1 Stem

Layer 1

3/4 E25 – 43

1 Pueblito pot
1 Los Angeles Burn
5 Pueblitos
2 clam shell

larger 7

Other Wild Plants	Zone A (Layer 1)	Zones A-B (Layers 1-2)	Zone B (Layer 2)	n Zone B (Layer 3)	Totals
1. Carya endocarp	1			1	1
2. Setaria geniculatu	11		2	2	15
3. Ungnodia capsule	6				6
4. Morsdenia capsule	4	1	1		6
5. Legume cotyledons	17				17
6. Bromelia	91	1	18	1	112
7. Yucca pods	1				1
seeds	3				3
8. Hechtia leafs	157	1	11		169
9. Essenbeckia capsules	5				5
seeds			2		2
10. Sabal seeds	5		75	4	84
leaves	5	1			6
11. Caesalpinia pods	10	1	16		27
12. Leaves and sticks	many	many	many	many	many
TOTALS	316	5	125	8	

table 16

GRAND TOTAL 454

No. of Feces	7 15	1 2	6 7	2 2	16 26
Feces content					
1. No. of feces with corn	3 1?	0			
2. No. of feces with shell	17	1	10	1	
3. No. of feces with Agave	1	2	2	1	
4. No. of feces with grasshoppers	2		42	1	
5. No. of feces with other insects	1		1		
6. No. of feces with nut shells	3		1		

table 15

Other life forms	(Layer 2)	(Layer 3)	(Layer 4)	(Layer 5)
1. Deep sea sponges	1			1
2. Sedentary polychaetes	11			
3. Thin mussel beds	6			6
4. Coralline algal turfs	4	1		5
5. Lacuna spp. (in upper)	17			17
6. Bivalves	13	1	1	15
7. Algae nos.	3			3
8. Red algae	5			5
9. Sea whip Leptogorgia	17	1		18
10. Sea pen Stylatula	5	1		6
11. Coralline algal nods	10	1		11
12. Leaves and stalks	27	15	4	46
TOTALS	115	5	1	121

No. of Taxa	7	3	2	8
Taxa counts				
1. No. of taxa with corn	5	0		5
2. No. of taxa with shell	4	1		5
3. No. of taxa with leaves	1			1
4. No. of taxa with stems	2			2
Morphs				
5. No. of taxa with other	3			3
Lines				
6. No. of taxa with one	1	1		2
mark				
7. No. of taxa with two	3	0		3

11

14-10-1-3-1-9-7 } squares shown (54 +1)

2-2-3-2

1-2 – Enclosure (called: [illegible] - 5 squares)

3-3-2-3-38-26 7-2-15-10 -1-3-19-2-2-2-6-6-12

169 +5 +10

20-15-4-3-5-7-2-1- Squares unshown

20-1-8-1-3-8-31-26-3-6-12-7-7-1-6-2-4-9-2-11

168 +2 +19

3-1-1-1

6

7:0 -3-1

12-1 — 13

2-1 } Circle 6
1-2 }

1

1-3

1-4-2-2-1-1

1

4-2
1

103

4-4-1-2-2-4-3-2-1-3-2-4-2-2-13-12-14-6-5-2-8

IIII IIII IIII IIII -20 - 11

11 — 4

-29 — 32

1 — 1

Table 51 - Table showing relationships of cultures of Sierra de Tamaulipas with those of the central Tamaulipas coast



	Knoxville Cream	Tortuous shell	Tortuous Tri	Nodose Bumbilliform	Ivy Leaf	Arenoid	Celtic Diamond	Nine Pentagon	Bromwell Tri	Indiana Tri	Petaloid	Los Flores Quarried	Los Flores Rolling	Zapotal Black	Los Flores Ridgelite	Los Flores Black-on-Red	Los Flores Red on Buff	Corozo Plain	Wavy Plain	Zapotal Red	Parral Ulmalegite	Tarcol Black in Red	Tarcol Polychrome	Tarcol Brown on Buff	Incurved Blunt on Buff	Parral Ulmalegite	Undecorated sherds	
Surface Tm c 34 ①										1	1	3			1			7		1		4	6	3	17		21	-62
Level 1 Tm c 34									1		-							8	11			15 ④	5	4 ⑤	4		31	93
Surface Tm c 184 ⑥						1			3	2	1				1	2		3	17	12		3	1	8	2		41	90
Dark zone Tm c 184					1					2						1		1	8	4		4		1			2	28
Surface Tm c 73 ⑦	1	1	1	1		2			1		=	2	1		7			1	25	18		1	1	8			38	102
Level 1 Tm c 73											0								2			1		2				5
Surface Tm c 74 ④	1	1																20	5			2	3	3				33
Tm c 71 out of bank surface									5	3								20	14			6	4	10		4		58
Tm c 72 surface ⑤	1								3	3				2				4	10			38	1	10		4		69
Tm c 187 surface lower strata																												47 ? 6
Level 2 Tm c 34						1	1			1		2	1		1		2	4	1	12	12					10		46

Table 42

| | | |

Las Angeles

Laguna

Eslabones

0-0

Laguna

La Perra. 2000

Mogollo 4000

Lerma

Diablo

Pecos - Pecos.
Penasco
Alamito
Conchas

Conception
Sapienta

Luerance
Cuervo

Pecos River

Santiago

Manzillas

Toyah Creek Aerlen
Nueces Forms Fam
Forms

Ulvade
Fam

Boatde
Forms

Round Rock

Clear Fork
Fork
Forms

Plainview

Falcon

Falcon

Clovis

Rockport

Aransas.

Aso.

Corpus Christi

Falcon

Clovis

Tm c 81	Tm c 174	Tm c 82	Tm R 86	Tm R 79	Tm c 83	
Los Angeles	Los Angles	Los Angeles			Los Angeles	Los Angeles
		Mixed Los Angles; La Salta Eslabones				
		La Salta		La Salta	La Salta	La Salta
	mixed	and				
Eslabones	with	Eslabones	Eslabones	Eslabones		Eslabones
	Laguna	Laguna	Laguna			Laguna
	La Perra	La Perra				La Parra
	La Perra	La Perra				
Nogales		Nogales				Nogales
mixed with	mixed with	Nogales				
Lerma	Lerma					Lerma
	Lerma					
Diablo						Diablo

Table 55

Pottery

	Village Limits	Los Angeles Boulevard	Los Angeles Plaza	Los Angeles Block	Rancho La Cienega Block	La Brea Block	Rancho La Brea Block	La Brea Block	Rancho La Brea Block	Rancho La Brea Block	Exhibition Road	Tower Place	Exhibition Road Block	Exhibition Place
1, E-5, Level 1		2	2											
62 NSW10, L1			2											
63 NSW10, L2	1	1												
28) WS, L1		2	2											
48) W10, L1		1	2											
69) W15, L1		1										1		
76) W20, L1													1	
46, NSWS, L1														
23 W25, L1		2	2			1								1?
7) 0-0 L1			0											1?
47 NS, WS, L2			1				1				1			
82 W25, L1		2	2			1								1?
2) E-5, Level 2		6	6	1	1		1		1					6?
8) 00, Level 2			2			1	1			1				
8a) 0-0, Level 3		1	2			2								
64) NSW10, Level												1		
29) WS, L2			1?							1				
30) WS, L3							3							
47) W10, L2			1				2						1	1
77 W20, L2			1				1					1		
5) E-5 Level 3			1				1		1					
50) W10, Level 3														1
63 NS, W10, Level 4							1					1		
70 W15 Level 2								1						
3a E-5, Level 4										3				1
10) 0-0, Level 4						1								
3) W15 4						1								
71 W15 3							1							
32 W25 5						1	1							
9) 0-0 Level 5						2								
33 W25 6										4				
11 0-0 Level 6						2		1						
34 W25 7										1				
12 0-0 Level 7					1		1							

x x x x x x x

1521

25 2 1

1 2

2

2

1 2

1 1 1 2

1

1

1

1 2

1

1

1

1

1 2

1 2 3 1

3

1 3 1

1

1

1 1 2 2

1 2 2

1

1 1 1 2

1 1 1

1

1 1 1

1

1

1

1

1 1 1

1 2 1

1

1 1 1

1

1 1 1

1 1 1

1

1 1 1

1

1 1 1

| | | |

	Diablo ~~Side~~-notched corner	Diablo Stemmed	Los Angeles Round-base	Repelo Side-notched	Matemoras Triangular	Los Angeles Concave	Los Angeles Side-notch	Brownsville Concave	Pueblito Side-notch	Pueblito Stemmed	Pueblito Corner-notched	Teotihuacan Side-notch	Tinely-chipped fragments	Tortuga Triangular	Abasolo Triangular	Abasolo Round-base	Lerma Double-pointed	Lerma Triangular	Crudely-chipped fragments	
Layer 1	1	1	1	1	6	4	2	9	2				6	3	[redacted]	3			8	~~42~~ 45
Layer 2								1	5	4	2	1	4	3	0	5	1		8	34
Layer 3														3	4	13			6	26
Layer 4														4	1	7	7		8	27
Layer 5																	6	1	3	10
Layer 6																			1	1
																				~~40~~

Table 2 - Frequency ~~Distribution~~ of projectile point types in the layers of Tr 81



Table 3. — Frequency of scraper types in layers of Tra 81

	Flake end scraper	Pointed Prismatic Flake	Rectangular Prismatic Obsidian scraper.	Clear Fork Gouge	Disc scrapers	Flake side scrapers	Plano-convex end scrapers	Stemmed end scrapers	Semi-lunar scrapers	Snub-nosed scrapers	Large crude flake side scrapers	Large boulder scrapers	
Layer 1	1	3		1		7	1						
2.		1	1	1									
Layer 2		1	1	1	1						1		
Layer 3				1	4	1	3				3		
Layer 4						1	1						
Layer 5							3	3	1	4	3		
Layer 6											2	1	

	Ovoid blades	Cores	Square-based blades	Blade fragments	Choppers	Chipped discs (large)	Chipped discs (small)	Gravers	Finely chipped Triangular Blade	Finely chipped small blade
Layer 1	1	1	2	27	1				2	1
Layer 2	2	3		28	1		1			
Layer 3	6	2		6		1	6			
Layer 4	4	1		8						
Layer 5	4	4	3	11	3			2		
Layer 6	4			2	2					

Table 4 – Frequency of blades & other artefacts in the layers of Tn 181

| | | |

	Rectangular mano	Roller mano	Pebble mano	Rectangular metate	Angled back metate	Boulder [illegible]	Hammerstone
Layer 1	2	1		3	2		1
Layer 2		1	1		3		2
Layer 3			1			1 2	4
Layer 4							1
Layer 5							1

Table 5 – Frequency of ground + pecked stone artifacts in layers of Tm 181

Frequency of

Table 6 Faunal remains of Tm c 81 in layers

	REPTILIA Crotalus	AVES unidentified	Galliformes (turkey) spur	Lepus pelvis	Nasua Coatimundi - humerus	Cervid - large humerus	Odocoileus - astragulus	" metapodial	" phalange	" tibia	" calcaneum	" teeth	" pelvis	Pecarri - teeth	Mazama (fossilized) femor	Canis dog	MAMMALIA - unidentified	Fossilized Mammal(?) bone
Layer 1		7	1	1			1	3	4	1		3		1			8	
Layer 2	1	2	1					2		2	1			1			36	2
Layer 3					1	1	1	1	1								34	1
Layer 4														1			6	4
Layer 5															1	1	35	16
Layer 6																		4

	Dioon edule seeds	bracts	bases	Pithecelobium confine seeds	pods	Agave unchewed	chewed	Lonchocarpus hondurensis	Cordia Boissieri	Opuntia stems	leaves	Cactaceae fruit	Froehlichia sp. chewed	base
Layer 1	618	100	56	103	561	141	123	73	49	20	3	5	3	1
Layer 2	1249	30	12	44	260	25	45	104	23	13		1	2	
Layer 3	372	1	2		169	41	103	1	7					

Table 14. Frequency of wild food plants in layers of Tm c 174

[FIELD] NOTES, MAGAZINE "PATHFINDER" #4
JUNE 15, 1949. PHOTOS, PROOFS, NEGS. CHARTS (~~27~~) (28)